

CloudCrossing BVBA
Dahlialaan 1
2950 Kapellen
Belgium



URL Button

PDF Butler URL Button:

To call PDF Butler from a URL Button, you can use following configuration:

Opportunity Custom Button or Link
Generate Quote

Custom Button or Link Detail		Edit Window Open Properties Delete Where is this used?	
Label	Generate Quote	Object Name	Opportunity
Name	Generate_Quote	Link Encoding	Unicode (UTF-8)
Behavior	Display in new window	Display Type	Detail Page Button
Button or Link URL	/apex/cadmus_core__ConvertInterface?docConfigId=a0a11000001dGWfAAM&objectId={!Opportunity.Id}&openRaw=1&deliveryOverwrite=BASE64&download=1		
Height (in pixels)	600	Show Address Bar	<input type="checkbox"/>
Width (in pixels)		Show Scrollbars	<input checked="" type="checkbox"/>
Window Position	No Preference	Show Toolbars	<input type="checkbox"/>
Resizable	<input checked="" type="checkbox"/>	Show Menu Bar	<input type="checkbox"/>
Description		Show Status Bar	<input type="checkbox"/>
Created By	Igor Stuyver 8/06/2019 22:24	Modified By	Igor Stuyver 12/06/2019 10:44

The URL to use:

/apex/cadmus_core__ConvertInterface?docConfigId=<YOUR_DOCCONFIG_ID>&objectId={!Opportunity.Id}

The URL can take extra parameters to influence the behavior:

- 1) docConfigId (required): Id of the DocConfig to generate
- 2) objectId (required): Record Id
- 3) docConfigIds: Multiple Doc Config Ids
- 4) targetType: Target Type (PDF or DOCX), default is PDF
- 5) alternativeName: Alternative Name
- 6) locale: Locale eg nl_BE
- 7) language: Language eg nl
- 8) country: Country eg BE
- 9) timeZone: time zone
- 10) pdfActionType: MERGE or NONE, default is NONE. Merge the PDF's generated
- 11) packId: Pack Id
- 12) openRaw: values "1" or "0". Opens the returned document in preview. 0 is default
- 13) openMobile: values "1" or "0". Opens the returned document in a mobile friendly previewer. Make sure that openRaw is not set or the value is 0.
- 14) download: values "1" or "0". Downloads the returned document. 0 is default
- 15) deliveryOverwrite:
 - a. FILES
 - b. FILES_OVERWRITE
 - c. FILES_ADD_VERSION
 - d. ATTACHMENTS
 - e. ATTACHMENTS_OVERWRITE
 - f. BASE64: raw representation